



Spanplattenschrauben

Stahl, gelb - verzinkt, Mehrstern - Antrieb

| Abmessung in mm | Artikel-Nr. | Abmessung in mm | Artikel-Nr. |
|--------------------|----------------|--------------------|----------------|
| 3,0 x 16 | 900GZT1030016V | 5,0 x 25 | 900GZT2550025V |
| 3,0 x 20 | 900GZT1030020V | 5,0 x 30 | 900GZT2550030V |
| 3,0 x 25 | 900GZT1030025V | 5,0 x 35 | 900GZT2550035T |
| 3,0 x 30 | 900GZT1030030T | 5,0 x 40 | 900GZT2550040T |
| 3,0 x 35 | 900GZT1030035T | 5,0 x 45 | 900GZT2550045T |
| 3,0 x 40 | 900GZT1030040T | 5,0 x 50 | 900GZT2550050T |
| | | 5,0 x 60 | 900GZT2550060T |
| 3,5 x 16 | 900GZT1035016V | 5,0 x 70 | 900GZT2550070T |
| 3,5 x 20 | 900GZT1035020V | 5,0 x 80 | 900GZT2550080T |
| 3,5 x 25 | 900GZT1035025V | 5,0 x 90 | 900GZT2550090T |
| 3,5 x 30 | 900GZT1035030V | 5,0 x 100 | 900GZT2550100T |
| 3,5 x 35 | 900GZT1035035T | 5,0 x 120 | 900GZT2550120T |
| 3,5 x 40 | 900GZT1035040T | | |
| 3,5 x 45 | 900GZT1035045T | 6,0 x 40 | 900GZT3060040T |
| 3,5 x 50 | 900GZT1035050T | 6,0 x 50 | 900GZT3060050T |
| | | 6,0 x 45 | 900GZT3060045T |
| 4,0 x 16 | 900GZT2040016V | 6,0 x 60 | 900GZT3060060T |
| 4,0 x 20 | 900GZT2040020V | 6,0 x 70 | 900GZT3060070T |
| 4,0 x 25 | 900GZT2040025V | 6,0 x 80 | 900GZT3060080T |
| 4,0 x 30 | 900GZT2040030T | 6,0 x 90 | 900GZT3060090T |
| 4,0 x 35 | 900GZT2040035T | 6,0 x 100 | 900GZT3060100T |
| 4,0 x 40 | 900GZT2040040T | 6,0 x 120 | 900GZT3060120T |
| 4,0 x 45 | 900GZT2040045T | 6,0 x 130 | 900GZT3060130T |
| 4,0 x 50 | 900GZT2040050T | 6,0 x 140 | 900GZT3060140T |
| 4,0 x 60 | 900GZT2040060T | 6,0 x 150 | 900GZT3060150T |
| 4,0 x 70 | 900GZT2040070T | 6,0 x 160 | 900GZT3060160T |
| | | 6,0 x 180 | 900GZT3060180T |
| 4,5 x 25 | 900GZT2545025V | 6,0 x 200 | 900GZT3060200T |
| 4,5 x 30 | 900GZT2545030T | | |
| 4,5 x 35 | 900GZT2545035V | | |
| 4,5 x 40 | 900GZT2545040T | | |
| 4,5 x 45 | 900GZT2545045T | | |
| 4,5 x 50 | 900GZT2545050T | | |
| 4,5 x 60 | 900GZT2545060T | | |
| 4,5 x 70 | 900GZT2545070T | | |
| 4,5 x 80 | 900GZT2545080T | | |




Weitere Ausführungen: Ø 8,0 mm, Ø 10,0 mm

Antrieb: Pozidrive auf Anfrage
Weitere Werkstoffe: Stahl, blau vz.

Spanplattenschrauben

Halbrundkopf, Stahl, verzinkt, Pozidrive-Kreuzschlitz,
VPE = 200 Stück



| Abmessung in mm | Artikel-Nr. | Abmessung in mm | Artikel-Nr. |
|-----------------------|----------------|-----------------|----------------|
| 3,0 x 10 | 905VZPZ130010V | 4,5 x 16 | 905VZPZ245016V |
| 3,0 x 12 | 905VZPZ130012V | 4,5 x 20 | 905VZPZ245020V |
| 3,0 x 16 | 905VZPZ130016V | 4,5 x 25 | 905VZPZ245025V |
| 3,0 x 20 | 905VZPZ130020V | 4,5 x 30 | 905VZPZ245030V |
| 3,0 x 25 | 905VZPZ130025V | 4,5 x 35 | 905VZPZ245035V |
| 3,0 x 30 | 905VZPZ130030V | 4,5 x 40 | 905VZPZ245040V |
| | | 4,5 x 45 | 905VZPZ245045V |
| 3,5 x 16 | 905VZPZ235016V | 4,5 x 50 | 905VZPZ245050V |
| 3,5 x 20 | 905VZPZ235020V | 4,5 x 60 | 905VZPZ245060V |
| 3,5 x 25 | 905VZPZ235025V | | |
| 3,5 x 30 | 905VZPZ235030V | 5,0 x 20 | 905VZPZ250020V |
| 3,5 x 35 | 905VZPZ235035V | 5,0 x 25 | 905VZPZ250025V |
| 3,5 x 40 | 905VZPZ235040V | 5,0 x 30 | 905VZPZ250030V |
| | | 5,0 x 35 | 905VZPZ250035V |
| 4,0 x 16 | 905VZPZ240016V | 5,0 x 40 | 905VZPZ250040V |
| 4,0 x 20 | 905VZPZ240020V | 5,0 x 45 | 905VZPZ250045V |
| 4,0 x 25 | 905VZPZ240025V | 5,0 x 50 | 905VZPZ250050V |
| 4,0 x 30 | 905VZPZ240030V | 5,0 x 60 | 905VZPZ250060V |
| 4,0 x 35 | 905VZPZ240035V | 5,0 x 70 | 905VZPZ250070V |
| 4,0 x 40 | 905VZPZ240040V | 5,0 x 80 | 905VZPZ250080T |
| 4,0 x 45 | 905VZPZ240045V | | |
| 4,0 x 50 | 905VZPZ240050V | 6,0 x 35 | 905VZPZ360035V |
| 4,0 x 60 | 905VZPZ240060V | 6,0 x 40 | 905VZPZ360040V |
| | | 6,0 x 45 | 905VZPZ360045V |
| | | 6,0 x 50 | 905VZPZ360050V |
| Antrieb: Ø 3,0 = PZ 1 | | 6,0 x 60 | 905VZPZ360060V |
| Ø 3,5 = PZ 2 | | 6,0 x 70 | 905VZPZ360070V |
| Ø 4,0 = PZ 2 | | 6,0 x 80 | 905VZPZ360080V |
| Ø 4,5 = PZ 2 | | | |
| Ø 5,0 = PZ 2 | | | |
| Ø 6,0 = PZ 3 | | | |

Weitere Werkstoffe: Edelstahl V2A, (auch mit Mehrsternantrieb)

Holzbauschrauben

Stahl, verzinkt, Mehrstern-Antrieb T40, mit Fräsrippen

| Abmessung in mm | Artikel-Nr. | Abmessung in mm | Artikel-Nr. |
|-----------------|----------------|-----------------|---------------|
| 8,0 x 80 | 902VZT40080080 | 10,0x 80 | 902VZT4010080 |
| 8,0 x 100 | 902VZT40080100 | 10,0x 100 | 902VZT4010100 |
| 8,0 x 120 | 902VZT40080120 | 10,0x 120 | 902VZT4010120 |
| 8,0 x 140 | 902VZT40080140 | 10,0x 140 | 902VZT4010140 |
| 8,0 x 160 | 902VZT40080160 | 10,0x 160 | 902VZT4010160 |
| 8,0 x 180 | 902VZT40080180 | 10,0x 180 | 902VZT4010180 |
| 8,0 x 200 | 902VZT40080200 | 10,0x 200 | 902VZT4010200 |
| 8,0 x 220 | 902VZT40080220 | 10,0x 220 | 902VZT4010220 |
| 8,0 x 240 | 902VZT40080240 | 10,0x 240 | 902VZT4010240 |
| 8,0 x 260 | 902VZT40080260 | 10,0x 260 | 902VZT4010260 |
| 8,0 x 280 | 902VZT40080280 | 10,0x 280 | 902VZT4010280 |
| 8,0 x 300 | 902VZT40080300 | 10,0x 300 | 902VZT4010300 |
| 8,0 x 320 | 902VZT40080320 | 10,0x 320 | 902VZT4010320 |
| 8,0 x 340 | 902VZT40080340 | 10,0x 340 | 902VZT4010340 |
| 8,0 x 360 | 902VZT40080360 | 10,0x 360 | 902VZT4010360 |
| 8,0 x 380 | 902VZT40080380 | 10,0x 380 | 902VZT4010380 |
| 8,0 x 400 | 902VZT40080400 | 10,0x 400 | 902VZT4010400 |

Verpackungseinheiten: Ø 8 mm= 100 Stück
Ø 10 mm= 50 Stück
Auf Anfrage: Schrauben aus Edelstahl V2A



Spanplattenschrauben

Edelstahl, V2A, mit Bohrspitze und Fräsrippen, Mehrstern - Antrieb,
VPE: 200 Stück

| Abmessung in mm | Artikel-Nr. | Abmessung in mm | Artikel-Nr. |
|-----------------|----------------|--------------------------|----------------|
| 4,0 x 30 | 901A2T2040030T | 5,0 x 40 | 901A2T2550040T |
| 4,0 x 35 | 901A2T2040035T | 5,0 x 45 | 901A2T2550045T |
| 4,0 x 40 | 901A2T2040040T | 5,0 x 50 | 901A2T2550050T |
| 4,0 x 45 | 901A2T2040045T | 5,0 x 55 | 901A2T2550055T |
| 4,0 x 50 | 901A2T2040050T | 5,0 x 60 | 901A2T2550060T |
| 4,0 x 55 | 901A2T2040055T | 5,0 x 65 | 901A2T2550065T |
| 4,0 x 60 | 901A2T2040060T | 5,0 x 70 | 901A2T2550070T |
| 4,0 x 65 | 901A2T2040065T | 5,0 x 80 | 901A2T2550080T |
| 4,0 x 70 | 901A2T2040070T | 5,0 x 90 | 901A2T2550090T |
| 4,0 x 80 | 901A2T2040080T | 5,0 x 100 | 901A2T2550100T |
| | | | |
| 4,5 x 30 | 901A2T2045030T | 6,0 x 60 | 901A2T2560060T |
| 4,5 x 35 | 901A2T2045035T | 6,0 x 80 | 901A2T2560080T |
| 4,5 x 40 | 901A2T2045040T | 6,0 x 100 | 901A2T2560100T |
| 4,5 x 45 | 901A2T2045045T | 6,0 x 120 | 901A2T2560120T |
| 4,5 x 50 | 901A2T2045050T | 6,0 x 140 | 901A2T2560140T |
| 4,5 x 55 | 901A2T2045055T | | |
| 4,5 x 60 | 901A2T2045060T | | |
| 4,5 x 70 | 901A2T2045070T | Antrieb: Ø 4,0+4,5 = T20 | |
| 4,5 x 80 | 901A2T2045080T | Ø 5,0+6,0 = T25 | |



Spanplattenschrauben

Edelstahl, V2A, mit Mehrstern - Antrieb



| Abmessung in mm | Artikel-Nr. | Abmessung in mm | Artikel-Nr. |
|-----------------|----------------|-----------------|----------------|
| 3,0 x 12 | 900A2T1030012V | 5,0 x 20 | 900A2T2550020V |
| 3,0 x 16 | 900A2T1030016V | 5,0 x 25 | 900A2T2550025V |
| 3,0 x 20 | 900A2T1030020V | 5,0 x 30 | 900A2T2550030T |
| 3,0 x 25 | 900A2T1030025V | 5,0 x 35 | 900A2T2550035V |
| 3,0 x 30 | 900A2T1030030T | 5,0 x 40 | 900A2T2550040T |
| 3,0 x 35 | 900A2T1030035T | 5,0 x 45 | 900A2T2550045T |
| | | 5,0 x 50 | 900A2T2550050T |
| 3,5 x 16 | 900A2T1035016V | 5,0 x 60 | 900A2T2550060T |
| 3,5 x 20 | 900A2T1035020V | 5,0 x 70 | 900A2T2550070T |
| 3,5 x 25 | 900A2T1035025V | 5,0 x 80 | 900A2T2550080T |
| 3,5 x 30 | 900A2T1035030T | 5,0 x 90 | 900A2T2550090T |
| 3,5 x 35 | 900A2T1035035T | 5,0 x 100 | 900A2T2550100T |
| 3,5 x 40 | 900A2T1035040T | 5,0 x 120 | 900A2T2550120T |
| 3,5 x 50 | 900A2T1035050T | | |
| | | 6,0 x 30 | 900A2T2560030T |
| 4,0 x 16 | 900A2T2040016V | 6,0 x 35 | 900A2T2560035T |
| 4,0 x 20 | 900A2T2040020V | 6,0 x 40 | 900A2T2560040T |
| 4,0 x 25 | 900A2T2040025V | 6,0 x 45 | 900A2T2560045T |
| 4,0 x 30 | 900A2T2040030T | 6,0 x 50 | 900A2T2560050T |
| 4,0 x 35 | 900A2T2040035T | 6,0 x 60 | 900A2T2560060T |
| 4,0 x 40 | 900A2T2040040T | 6,0 x 70 | 900A2T2560070T |
| 4,0 x 45 | 900A2T2040045T | 6,0 x 80 | 900A2T2560080T |
| 4,0 x 50 | 900A2T2040050T | 6,0 x 90 | 900A2T2560090T |
| 4,0 x 60 | 900A2T2040060T | 6,0 x 100 | 900A2T2560100T |
| 4,0 x 70 | 900A2T2040070T | 6,0 x 110 | 900A2T2560110T |
| | | 6,0 x 120 | 900A2T2560120T |
| 4,5 x 20 | 900A2T2045020V | 6,0 x 140 | 900A2T2560140T |
| 4,5 x 25 | 900A2T2045025V | 6,0 x 160 | 900A2T2560160T |
| 4,5 x 30 | 900A2T2045030V | 6,0 x 180 | 900A2T2560180T |
| 4,5 x 35 | 900A2T2045035T | 6,0 x 200 | 900A2T2560200T |
| 4,5 x 40 | 900A2T2045040T | 6,0 x 220 | 900A2T2560220T |
| 4,5 x 45 | 900A2T2045045T | 6,0 x 240 | 900A2T2560240T |
| 4,5 x 50 | 900A2T2045050T | 6,0 x 260 | 900A2T2560260T |
| 4,5 x 60 | 900A2T2045060T | 6,0 x 280 | 900A2T2560280T |
| 4,5 x 70 | 900A2T2045070T | 6,0 x 300 | 900A2T2560300T |
| 4,5 x 80 | 900A2T2045080T | | |

Antrieb: Ø 3,0+3,5 = T10
Ø 4,0+4,5 = T20
Ø 5,0+6,0 = T25

Auf Anfrage: Ø 8,0 + 10,0 mm

Terrassenschrauben

"Woodpecker® Hartholzschrauben"

Edelstahl, V2A, mit Mehrstern - Antrieb.

Durch die Schneidkerbe ist in den meisten Anwendungen kein Vorbohren der Hölzer notwendig.

VPE 200 Stück

| Abmessung in mm | Klemmlänge in mm | Antrieb | Artikel-Nr. |
|-----------------|------------------|---------|----------------|
| 4,5 x 30 | 10 - 12 | T20 | 903A2T20450300 |
| 4,5 x 40 | 12 - 16 | T20 | 903A2T20450400 |
| 5,0 x 50 | 18 - 21 | T25 | 903A2T25500500 |
| 5,0 x 60 | 22 - 26 | T25 | 903A2T25500600 |
| 5,0 x 70 | 28 - 35 | T25 | 903A2T25500700 |

